Ciholas, Inc. 3700 Bell Road Newburgh, IN 47630

AN302 Datasheet

1 Description

An AN302 is an Ultra-Wideband (UWB) transceiver designed for use with the Ciholas UWB (CUWB) Real-Time Location Systems (RTLS). In a typical CUWB RTLS deployment, the AN302 operates as a static, or anchored, device providing reference points for precise location tracking. The AN302 connects via Ethernet to provide reliable, low-latency, high-bandwidth communications with the rest of the CUWB System.

The AN302 receives UWB pulses from tracked devices and transmits time synchronization data in real time. Anchors are positioned throughout the desired tracking area to enable precise location and data collection. AN302 units are lightweight and easily repositionable, allowing for quick setup and teardown. For additional information on deploying a CUWB RTLS using the AN302, see Deployment Considerations.

AN302 anchors feature a built-in multi-port Ethernet switch, supports standards-compatible chainable Power over Ethernet (PoE), and Ciholas ChainPoE™ which allows multiple devices to be powered from a single source.



2 Features


- Operates with Ciholas CUWB System
- Ultra-Wideband Radio
 - o Supports UWB Channels 5 and Channel 9
 - o Data rates 6.8Mbps
- Integrated RF
 - o Omni-directional UWB antenna
 - o Integrated Low-Noise Amplifier (LNA)
 - Long Range operation with 100 m possible in LoS conditions
- Status & Control
 - RGB LED Indicator
 - o Integrated 10/100 Managed Ethernet Switch

- Power & Connectivity
 - o IEEE 802.3af/at Power over Ethernet (PoE) Compatible
 - Equipped with Ciholas ChainPoE™
 - Power up to 12 anchors on a single chain
 - 90% Reduction in overall system wiring achievable
 - Ambidextrous Ethernet Ports
 - Chain redundancy
- Certification
 - o FCC Certified in the United States
 - o CE Marking in the European Union Pending
 - o ISED Certified in Canada Pending
 - o MIC Certified in Japan Pending
- Mechanical
 - Multiple Mounting Options Available
 - o IPX7 rating with sealing kit



3 Ordering

Ordering Information



For a list of avaliable options or for further information, please visit CUWB.io

AN302 devices are region-locked at the time of purchase to comply with regulatory requirements. Please specify your intended region of operation during checkout. See regulatory compliance for supported regions and compliance statements.

Available from the Ciholas Webshop

Compatible AN302 Accessories available on the 300 Series Accessories page.

4 Electrical

4.1 Ratings

Parameter	Description	Min.	Тур.	Max	Units
Vin _{in}	AN302		48		V
Р	Operating Power ² @ 10Hz		1.1		W
To	Operational Temperature	-20		60	°C

^{2.} Average Power for a device participating in a 10Hz CUWBNet. Power many increase or decrease based on settings used for the CUWB System.

4.2 RF Characteristics

Channel ³	Center Frequency	Bandwidth	Typical Distance ⁴
5	6.4896 GHz	499.2 MHz	100 meters
9	7.9872 GHz	499.2 MHz	70 meters

^{3.} Where channel usage is allowed. Not all channels are supported in every regulatory region.


^{4.} In clear Line-of-Sight conditions.

5 Mechanical

Parameter	Description	Min.	Тур.	Max	Units
Unit Mass	ABS Plastic w/ UL94V-0 rating		240		g

5.0.1 Dimension Drawing

All dimensions are in millimeters unless otherwise stated.



Downloadable Models

- Download a STEP Model
- Download a GLB Model

Safety Loop



AN302 Datasheet

The AN302 has a safety or tether loop on the back of the device. This can be used for a safety cable for overhead installations or for earthquake strap. The loop supports a 1/16" aircraft style cable. A larger cable can be used if swaged in place.



6 Operation

6.1 Power and Communication

The AN302 is powered and networked via a standards-compatible Power over Ethernet (PoE) connection. To operate the device, connect it to an IEEE 802.3af/at compliant PoE switch.





AN302 with Single Cable

AN302 with Two Cables

This product requires an IEEE 802.3.af/at standards-compliant PoE source. Passive PoE injection is not supported.

Once connected, the AN302 will randomly select an IP address from the Auto-IP 169.254.xy range, checking to see if the address is already in use using the Address Resolution Protocol (ARP). See the Networking Guide for additional information on device chaining and network configurations.

Only plug AN302s or other compatible Ciholas ChainPoE devices into AN302 ports.

6.1.1 Ciholas ChainPoE™


- Chains of AN302(s): ChainPoE supports up to 12 anchors on a single chain. Plug a cable from one AN302 to the next AN302 in the chain. The total number of devices in a chain depends on the PoE power budget of the upstream switch.
- Ambidextrous Ethernet Ports: Either port on the back of the AN302 can be used; there is no in or out port.
- Chain Redundancy: For critical applications, Series 300 anchors support optional redundant power and data connections to enhance reliability. These redundancies ensure continuous operation even in the event of a cable failure. The last anchor in a chain, or a standalone anchor, can connect to a secondary PoE switch, a switch stack, or a redundant port on the same switch. If a connection fails, the system will recover after a brief time period. See the Networking Guide for additional information on device chaining and network configurations.


PoE standards and corresponding supported chain lengths, for ChainPoE are as follows:


PoE Standard	Supported Chain Length
802.3af (Type 1) Class 3 (15.4 W)	Up to 6 anchors
802.3at (Type 2) Class 4 (30 W)	Up to 12 anchors
802.3bt (Type 3/4)	Up to 12 anchors

6.2 Mounting & Placement

AN302 anchors should be distributed throughout the desired tracking area to ensure optimal system performance. The device is designed to operate with the following recommended orientations:







AN302 must be installed using either the AH301 - Mounting Plate or AH302 - Mounting Box. Additional brackets for the plate and box can provide more diverse mounting options.

AN302 has a mounting point for a 1/16-inch safety cable near the Ethernet jacks.


Some regulatory regions may impose additional installation or operational restrictions. Refer to the Regulatory Compliance section before deploying a CUWB RTLS.

Helpful Placement and Planning links:

- For installation information, see the Installation Guide.
- For mounting accessories, see 300 Series Accessories Overview.
- For planning an CUWB RTLS deployment, see Deployment Considerations.

6.2.1 Survey Offsets

The following survey points are available on the AN302:



For additional survey information, see the Installation Guide. The above drawing indicates the survey points but also the offset measurements from the survey point to the antenna center.

6.3 Configuration

The AN302 must be used with the CUWB Manager Software Package. For details regarding configuration of AN302(s) in the CUWB Manager, see the CUWB Manager Manual.

6.4 LED Indication

The AN302 has one tri-color (RGB) LEDs for conveying device state to users. In normal operation under DEVICE MODE, the device state can be determined using the table below:

Solid Color	Code	Description
No LED	Α	No power
Red	В	Fault
Green	С	Interior Node
Blue	D	Bootloader
Magenta	Е	Border Node
Yellow	F	End Node
White	G	Reclassification
Cyan	Н	Reserved

These settings are overwritten when the CUWB Manager is running a CUWBNet and anchors are in ROLE MODE. To use this feature for installation only, do one of the following:

- 1. Stop any nearby active CUWBNets
- 2. Remove unconfigured tag slots from any nearby CUWBNets
- 3. Set any nearby CUWB CUWBNets to use **DEVICE MODE** for anchors. This will change LED behaviors on the actively running CUWBNets.

[CODE A] - No Power

Please check all cables and switch power. The device is not receiving power.

[CODE B] - Fault

The device has hard faulted or there is no link to the CUWB Manager. Please check the device and cables. If the problem persists please contact Ciholas for support.

[CODE C] - Interior Node with Outbound Power Delivery

The device is functioning properly and is located in the middle of a chain consisting of 3 or more devices.

[CODE D] - Bootloader

The device firmware is in the process of updating. After a short period the device will boot. If the LED persists, please contact Ciholas for support. DO NOT remove power while the device firmware is being updated.

[CODE E] - Border Node with Outbound Power Delivery

The device is functioning properly and is the first node on a chain of 1 or more devices. It will power the next node in the chain when it is attached.

[CODE F] - End Node

The device is functioning properly and is the last node on a chain of 2 or more devices.

[CODE G] - Reclassification

The device is in the process of reclassifying for power from the PoE switch.




[CODE H] - Reserved

This code is reserved for future use.

6.4.1 Error Handling during CUWBNet Operation

The RGB LEDs also conveys error states during CUWBNet operation. An error is indicated by a 500 ms red flash followed by a three color sequence.

Error Code Timing Diagram



The following color sequences are used to decode error states:

Color Sequence	Code	Description
Red — White-White	0	UWB IC Communication Error
Red — White-Magenta-White	4	Flash IC Communication Error
Red — White-Magenta-Magenta	5	Ethernet Switch IC Communication Error
Red — Blue-White-White	32	Hard Fault
Red — Blue-White-Magenta	33	Watchdog

[CODE 0] - UWB IC Communication Error

This indicates that the AN302 firmware is unable to communicate with the UWB transceiver. To clear this error reset the device by removing and reapplying power. If the problem persists please contact Ciholas for support.

[CODE 4] - Flash IC Communication Error

This indicates that the AN302 firmware is unable to communicate with the external flash IC. To clear this error reset the device by removing and reapplying power. If the problem persists please contact Ciholas for support.

[CODE 5] - Ethernet Switch IC communication Error

This indicates that the AN302 firmware is unable to communicate with the Ethernet Switch IC. To clear this error reset the device by removing and reapplying power. If the problem persists please contact Ciholas for support.

[CODE 32] - Hard Fault

If the problem persists please contact Ciholas for support.

[CODE 33] - Watchdog

If the problem persists please contact Ciholas for support.



7 Regulatory Compliance

7.0.2 Federal Communications Commission (FCC) - USA

FCC ID: 2ALIR-AN302

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by Ciholas, Inc. can void your authority to operate this equipment under Federal Communications Commission rules.

Channel 5 (15.250): Operation on board an aircraft, ship, or a satellite is prohibited. Devices operating under this section may not be employed for the operation of toys. This device is not allowed to be used for fixed outdoor infrastructure.

Channel 9 (15.517): This equipment may only be operated indoors. Operation outdoors is in violation of 47 U.S.C 301 and could subject the operator to serious legal penalties.

Applicable rules: FCC 15.250 + 15.517

Radiation Exposure Statement: The device has been found to be compliant to the requirements set forth in CFR 47 Sections 2.1091 for an uncontrolled environment. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

7.0.3 Innovation, Science and Economic Development (ISED) - Canada

Pending final certification

7.0.4 European Conformity (CE) - EU

Pending final certification

7.0.5 Ministry of Internal Affairs and Communications (MIC) - Japan

Pending final certification



7.1 Product Warnings



 Before working or installing electrical equipment, be aware of the hazards involved with electrical circuitry and be familiar with standard practices for preventing accidents.



- Usage of this product outside the parameters outlined in the user manual can result in bodily injury and damage to this and other equipment. To prevent this, please follow all instructions in the user manual.
- Installation of this equipment must comply with all local and national electrical codes.
- Do not operate any wireless network devices near unshielded blasting caps or in an explosive environment unless the devices have been modified to be qualified for such use.
- This product must be connected to a power-over-ethernet (PoE) IEEE 802.3.af/at compliant power source. Passive PoE injection is not supported.
- Only plug AN302s or other compatible Ciholas ChainPoE devices into AN302 ports.

8 AN302 Datasheet Datasheet Change Log

Version	Date	Change Description
5.0.1	2025-10-20	Preliminary Release: Adding FCC Regulatory Information; Updates to Features, Electrical, and Mechanical Sections
v5.0.0	2025-09-15	Initial Preliminary Release

9 APPENDIX A: License Terms and Conditions

1 General Terms and Conditions of Purchase/Service

These General Terms of Purchase/Service are a legal Agreement between you and Ciholas, Inc. ("Ciholas") and govern your use of all Ciholas services and products which include, but are not limited to CUWB.io, Ciholas.com and all Ciholas Products, Software, and Hardware. If you are accessing and/or using any of the Ciholas services and products on behalf of your employer or as an agent of a third party, your employer or third party is bound to these terms.

Please read these General Terms carefully. Your use of these services and products indicates that you have read, understand, and agree to be bound by the terms herein. Any attempt to set up, use, or install these products constitutes your assent to all the terms of this Agreement. If you disagree with this or any of our other policies, please do not install or use our services and products and see our return policies for instructions regarding our 60-day Money-Back Guarantee. Written approval is not a prerequisite to the validity and enforceability of this Agreement. Ciholas reserves the right to amend and/or update these terms from time to time. Such modifications to this Agreement will be posted to the website and bundled with software revisions.

This Agreement is the entire and exclusive Agreement between Licensor and Licensee regarding Ciholas services and products, unless modified and agreed to in writing by both parties. We may terminate or suspend access to our services and products at any time, without prior notice or liability, for any reason whatsoever, including without limitation if you breach the General Terms. All provisions of the General Terms shall survive termination, including, without limitation, ownership provisions, warranty disclaimers, indemnity, and limitations of liability. If any provision of this Agreement is deemed invalid or unenforceable, the remaining provisions shall remain in full force and effect.

Any customized services and products will be governed under a separate Customization Agreement.

2 Definitions

For purposes of this Agreement, the following terms shall have the following meanings, unless the context clearly requires otherwise:

"Agreement" means this General Terms of Purchase/Service Agreement and Technology License, any exhibits or appendices attached hereto, and any documents incorporated by reference.

"Buyer" means a person or entity that purchases or contracts to purchase products, services, or property from Ciholas.

"Ciholas" means Ciholas, Inc. including any entity controlled by Ciholas, Inc.

"End-User" means the person or entity that receives and uses Ciholas services and/or products.

"Firmware" means a code segment compiled into binary machine code that is embedded inside a device.

"Hardware" means the physical components of the Ciholas UWB Systems, such as anchors, tags, and supporting equipment.

"Indemnitee" includes, but is not limited to, all End-Users, Buyers, and/or Licensees

"License Configuration" means a particular configuration or setting provided with Ciholas services and/or products for the purposes of meeting regulatory requirements, or ensuring performance to specification.

"Licensee" means any individual or entity who purchases or uses Ciholas services and/or products covered by this Agreement.

"Licensor" means Ciholas, Inc. including any entity controlled by Ciholas, Inc.

"Our" means Ciholas, Inc. including any entity controlled by Ciholas, Inc.

"Personal Identifiable Information (PII)" means any identifying information unique to you that is made available to Ciholas when you browse our sites, create accounts on our sites, purchase and use our services and products, and/or contact us through our support phone number /email.

"Products" means any goods and/or services provided by Ciholas that are covered under this Agreement.

"Services" means services ancillary to the support and operation of Ciholas Products, Software, Firmware, or Hardware.



AN302 Datasheet

"Software" means programs or sets of instructions, including associated source code, object code, documentation, and data, which enable End-Users to perform specific operations or series of operations.

"Technology License" means the License granted to the Licensee for the use of Ciholas services and products through this Agreement.

"We" means Ciholas, Inc. including any entity controlled by Ciholas, Inc.

"You" means the person or entity entering into this Agreement with Ciholas

3 Technology License

Subject to the terms and conditions of this Agreement, Ciholas grants to you, the Licensee, a limited, non-exclusive, license to use CUWB Software and CUWB Hardware containing Ciholas' Intellectual Property and patent protected technologies. Ciholas remains the owner of all titles, rights, and interests in the CUWB Software, CUWB Hardware, and other Ciholas products.

Unless expressly stated otherwise, all Software constitutes original code and is subject to the License. Any use of the Software must be in compliance with the License. You acknowledge that the Software and the underlying ideas or concepts of the services and/or products are valuable intellectual property and you agree not to, except as expressly authorized and only to the extent applicable by statutory law, attempt (or permit others) to decipher, decompile, disassemble, modify, or otherwise reverse engineer or attempt to reconstruct or discover any original code or underlying ideas or algorithms or interoperability of the services and/or products or Software by any means. Ciholas services, products, and Software are meant to be used in conjunction with one another and any attempt to circumvent this is a violation of this License.

It is a violation of this Agreement to alter any of the Ciholas products to change their designated capability with the intent, or resulting effect, of circumventing the license configuration. Any unauthorized modification violates the terms of service and may make the products illegal in certain jurisdictions (see Government, Regulation, Jurisdiction, and Export Control below).

You must never use Ciholas services and products in any way where the failure of said services and products could cause possible harm, injury, or death to you or others.

The Licensor may amend the License at any time and will post such modifications on our website. Changes are effective upon posting. The Licensee's continued use of the Software after such posting constitutes acceptance.

4 Support

Under this Agreement, Ciholas is under no obligation to provide support with any product or service (such as, but not limited to, technical support, maintenance, upgrades, modifications or new releases) unless otherwise specified by an additional Agreement.

5 Indemnification

Notwithstanding any other Agreements with Ciholas, the user shall indemnify, defend, and hold harmless Licensor, its employees, successors, and heirs against any claim, liability, cost, damage, deficiency, loss, expense, or obligation of any kind or nature (including, without limitation, reasonable attorney's fees and other costs and expenses of litigation) incurred by or imposed upon the indemnitees or any one of them in connection with any claims, suits, actions, demands, or judgments (including, but not limited to, actions in the form of tort, warranty, or strict liability) arising from the use of Ciholas software and products.

6 Force Majeure

Ciholas shall not be liable or responsible to you for any failure or delay in fulfilling or performing any term of this Agreement when and to the extent that such failure or delay is caused by or results from acts beyond Ciholas' reasonable control, including, but not limited to, acts of nature/natural disasters, war, terrorism, labor disputes, supply chain disruptions, power outages, or governmental restrictions.

7 Government Regulation, Jurisdiction, and Export Control



Ciholas products are subject to governmental regulations and laws that may vary by state and country. By purchasing Ciholas products, you agree you will not ship, transfer, or export said products in any manner prohibited by law. You also warrant and agree that you are not located in, under the control of, or a national or resident of any of the countries defined by the Office of Foreign Assets Control, which include, but may not be limited to, Cuba, Iran, North Korea, and Syria. In addition to embargoes, other countries and/or regions may face restrictions under various U.S. export control regulations or be the target of sanctions governed by the Export Administration Act of 1979 (EAA) as amended, any successor legislation, the Export Administration Regulations (EAR), and the International Traffic in Arms Regulations (ITAR). You will comply in all respects with the export and reexport restrictions applicable to Ciholas products and will otherwise comply with the EAA, EAR, ITAR and other United States laws and regulations in effect from time to time.

In addition to export regulations, the United States and other countries have laws and regulations governing the use of radio frequency (RF) devices. In the United States such regulation is under Title III of the Communications Act of 1934 as amended and regulated by the Federal Communications Commission (FCC). The FCC oversees all non-Federal uses of the radio frequency spectrum. Other regulatory bodies oversee RF devices in other countries' jurisdictions. You agree that you will only use Ciholas products in the jurisdiction for which they were certified and will not exceed the products' operational and use limitations as stated in the product's manual. All Ciholas products are labeled as to their specific jurisdictional certification as per the laws of that jurisdiction.

7.1 Governing Law

This Agreement will be governed by the laws of the State of Indiana, USA. Parties agree to attempt, in good faith, to resolve and settle any dispute arising out of this Agreement through negotiation between officially authorized representatives of each party. If the dispute is not resolved through negotiation, any litigation arising from the use of Ciholas services and/or products must be brought and resolved in the State of Indiana, USA.

8 60-Day Money-Back Guarantee

All standard Ciholas products not covered by another agreement have a 60-day money-back guarantee. If for any reason the performance of any product is not acceptable, the product may be returned to Ciholas for a refund. Please note: shipping costs and any taxes and/or duties are not refundable and there is a 20% restocking fee for all returns under this policy. To be eligible for a refund, a customer must include an RMA# (see our return process) and dated proof of purchase with the item for return. The cost of the return shipment, including all taxes and duties, is at the buyer's expense. Any product returned not in resaleable condition will not be refunded.

9 Limited Warranty

Ciholas warrants that all Ciholas manufactured products, excluding software, will be free from any defect in materials or workmanship for a period of one year. Warranty begins on the date that an item is shipped from Ciholas to the buyer. The warranty is non-transferable and is extended only to the original buyers of this product when the product is used for the purpose for which it was intended. The one-year warranty covers only defects arising under normal use and does not include malfunctions or failures resulting from misuse, abuse, neglect, alteration, improper installation, acts of nature, tampering, or any repairs attempted by anyone other than Ciholas. During the one-year warranty period, the customer's sole and exclusive remedy will be, at Ciholas' sole discretion, the repair or replacement of the defective product, or refund of the purchase amount of the product. Ciholas reserves the right to substitute functionally equivalent new or serviceable used parts.

To be entitled to the rights provided by the one-year warranty, the customer must do the following:

- 1. Contact Ciholas Technical Support at returns@ciholas.com or 1-844-595-TECH (8324).
- Provide in email/phone call, all model number(s), serial number(s), and proof of purchase for all items affected please see template provided here.
- 3. If return/exchange is necessary, Customer will be given a Returned Material Authorization (RMA) # to include with their return.
- 4. The customer must then ship the item(s), at their expense (including all duties and taxes), to the address provided in the RMA authorization.
- 5. Once a product arrives at Ciholas, return shipment of repaired or replaced product(s) or a refund will be sent to the customer. The method of return shipment is at Ciholas' discretion and expense, except for applicable duties and taxes, which are the responsibility of the buyer.

9.1 Product Warranty Exclusions

Ciholas does not warrant or guarantee, and is not responsible for the following:



- 1. Defects, failures, damages or performance limitations caused in whole or part by (A) power failures and surges; fires; floods; acts of nature; excessive temperatures; corrosive environments; accidents; actions by third parties; or other events outside of Ciholas' control, or (B) customer's abuse; mishandling; misuse; negligence; improper storage, servicing, installation or operation; or unauthorized attempts to repair or alter equipment in any way.
- 2. Performance of the equipment when used in combination with equipment not purchased, specified, or approved by Ciholas.
- 3. Consumable goods used with, or required by, Ciholas products.
- 4. Alterations and/or modifications to any Ciholas equipment without Ciholas' written authorization. Such action unconditionally VOIDS the Ciholas Agreement and Warranty.
- 5. Installation of any software code, other than that provided and licensed by Ciholas. Any such installation onto any Ciholas product voids the one-year warranty, unless a written exemption is provided to the customer from Ciholas.

9.2 Disclaimer of Warranty

CIHOLAS SERVICES, PRODUCTS, AND ALL INFORMATION, CONTENT, MATERIALS, (INCLUDING SOFTWARE AND HARDWARE) AND OTHER SERVICES MADE AVAILABLE THROUGH CIHOLAS ARE PROVIDED ON AN "AS IS" AND "AS AVAILABLE" BASIS, UNLESS OTHERWISE SPECIFIED IN WRITING. CIHOLAS SERVICES INCLUDE ALL CIHOLAS OWNED AND OPERATED DOMAINS, INCLUDING BUT NOT LIMITED TO: CIHOLAS.COM, CIHOLAS SHOP, CUWB.IO, AND ALL CIHOLAS PRODUCTS, SOFTWARE, AND HARDWARE. THE USE OF CIHOLAS SERVICES AND PRODUCTS IS AT THE USER'S SOLE RISK.

EXCEPT AS EXPRESSLY PROVIDED IN THE CIHOLAS WARRANTY POLICY STATEMENT, CIHOLAS HEREBY EXPRESSLY DISCLAIMS ALL REPRESENTATIONS, CONDITIONS, AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF TITLE, MERCHANTABILITY, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL CIHOLAS BE LIABLE TO USER OR ANY OTHER PARTY FOR ANY DIRECT, INDIRECT, GENERAL, SPECIAL, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, OR OTHER INJURIES AND/OR DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE CIHOLAS SERVICES AND PRODUCTS (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF INFORMATION, BREACH OR ANY OTHER PECUNIARY LOSS), OR FROM ANY BREACH OF WARRANTY. NOTWITHSTANDING ANYTHING TO THE CONTRARY CONTAINED IN THIS DISCLAIMER OF WARRANTY, IN NO CASE SHALL THE MAXIMUM AGGREGATE LIABILITY OF CIHOLAS TO THE USER EXCEED THE TOTAL AMOUNT OF THE ACTUAL FEES PAID BY THE USER TO CIHOLAS.

CIHOLAS IS NOT LIABLE FOR ANY CONDUCT OF ANY USER OF CIHOLAS SERVICES AND PRODUCTS NOR OF ANY APPLICATION OR USE OF CIHOLAS SERVICES AND PRODUCTS IN AN ILLEGAL MANNER OR TO COMMIT AN ILLEGAL ACT OR IN A JURISDICTION IN WHICH IT IS ILLEGAL OR UNAUTHORIZED TO USE THESE SERVICES AND PRODUCTS. IT IS THE RESPONSIBILITY OF THE USER OF CIHOLAS SERVICES AND PRODUCTS TO ESTABLISH THE LEGALITY OF ITS USE IN THE USER'S JURISDICTION.

10 Ciholas Standard Privacy Policy

Ciholas is committed to protecting your personal information and your right to privacy. If you have any questions or concerns about our policy or our practices with regards to your personal information, please notify Ciholas at info@ciholas.com.

The following is to inform you of our policies for collecting, using, and disclosing your Personal Identifiable Information (PII) made available to Ciholas when you browse our sites, create accounts on our sites, purchase and use our services and products, and/or contact us through our support email. By using any of our services and products, you agree to the collection and use of your PII in accordance with this and other policies contained in this Agreement.

10.1 Personal Identifiable Information Collected

In the CUWB.IO Shop, we collect personal information that you voluntarily provide to Ciholas when creating an account, posting messages, or otherwise contacting us. The PII that we collect depends on the context of your interactions with Ciholas and the choices you make regarding the information you provide. The PII you share is up to you and is not required for browsing any of our sites. However, if you want to create an account, purchase an item in our shop, and/or call/email our support staff, you may be asked for PII. The PII collected is encrypted using secure socket layer technology (SSL).

The PII we collect could include the following:

Name and Contact Data – First and last name, email address, postal address, phone number, and other similar contact data.

Credentials - Passwords and similar security information used for authentication and account access.



Payment Data – All payment data collected through the website is by a third-party payment processor (TPPP). Ciholas DOES NOT have access to any of the payment information that you provide to the TPPP. None of the TPPPs use any of your data for anything other than processing your payment and have their own privacy policies that are as strict or more strict than those contained in this privacy policy. Ciholas and all Ciholas TPPPs use SSL/TLS encryption for securing data. All Ciholas TPPPs are PCI DSS compliant for payment processing standards.

10.2 Information Usage

We use your PII for the purposes listed above and to keep our site safe and secure (for example fraud monitoring and prevention) and to enforce our terms, conditions, and policies for our legitimate business purposes.

We may disclose your information where we are legally required to do so to comply with applicable law, judicial proceedings, court order, or legal process, such as in response to a court order or a subpoena.

We will not share, sell, rent, or trade any of your PII with any third parties.

10.3 Duration of PII Storage

We keep your information for only as long as necessary to fulfill the purposes outlined in this privacy policy unless otherwise required by law.

10.4 Keeping PII Safe

We have implemented appropriate technical and organizational security measures designed to protect the security of any personal information we process. However, given that the internet is not 100% secure, transmission of personal information to and from our sites is at your own risk. Only access our services, products, and sites within a secure environment.

10.5 Unique Privacy Rights

Based on the laws of some countries and states, you may have the right to request access to the PII we collect from you, change that information, or delete it in some circumstances. For more information on how to do that, please contact Ciholas at info@ciholas.com.

If you are visiting our sites from outside of the United States, please be aware that you are sending information (including PII) to the United States where our servers are located. That information may then be transferred within the United States or back out of the United States to other countries outside of your country of residence, depending on the type of information and how it is stored by us. These countries, including the United States, may not have data protection law as comprehensive or protective as those in your country of residence; however, our collection, storage, and use of your PII will at all times continue to be governed by this Privacy Policy.

10.6 Non-PII Information Automatically Collected

We automatically collect certain information through web analytics when you visit, use, or navigate any of our sites. This information does not reveal your specific identity, but may include device and usage information, such as your computer's Internet Protocol (IP) address, browser type, browser version, operating system, referring URLs, country, location, the pages of our sites that you visit, the time and date of your visit, the time spent on those pages, and other similar statistics. This information is primarily needed to maintain the security and operation of our sites and for our internal analytics and reporting purposes.

We collect this information using cookies. Cookies are small pieces of text stored on a user's computer. They can be accessed by the web server or the client computer, allowing the server to deliver information tailored to the user. Most web browsers are set to accept cookies by default. We use cookies to keep track of items stored in your shopping basket, to conduct research and diagnostics to improve our content, services, and products, to prevent fraudulent activity, and to improve security.

If you prefer, you may choose to set your browser to remove and reject cookies. This could affect the availability of certain features, services, or products on our sites. Most browsers allow you to turn off cookie collection in their Tools/Settings button under a Privacy tab.

These Terms of Service were last modified on 2025-09-17.

[End of Agreement]

